

# A TENTATIVE LIST OF PLANTS GROWING IN THE ARBORETUM MUSTILA (1971)

Compiled by Pentti Alanko 8.4.1972



18.10.99

Herra,  
Arboretum Mustila  
Kronohäktet i  
värkka Kronohäktet  
paleontologiska akademien  
lägger om saat hen  
då förra - ja  
då förra byggdes  
Mustila Konferensrummet  
lägger om PL 7200/444

LÅNGHOLMEN HOTELL 08-6680500 FAX 08-720 85 75

LÅNGHOLMEN KONFERENS 08-7208500 FAX 08-720 85 40

LÅNGHOLMEN WÄRDSHUS 08-7208550 FAX 08-720 85 70

BOX 9116, 102 72 STOCKHOLM

BESÖKSADRESS: KRONOHÄKTET, LÅNGHOLMEN

E-POST: HOTELL@LANGHOLMEN.COM

Pentti

A TENTATIVE LIST OF PLANTS GROWING IN THE ARBORETUM MUSTILA

compiled by Pentti Alanko 8.4.1972

The list included plants identified by me during the summer 1971 and all mentioned in the following publications:

Tigerstedt - Forslund, 1958: Lövträd på Mustila (Graduate thesis)


Tigerstedt, 1960: Arboretum Mustila (an excursion guide)

The nursery catalogue of Mustilan taimitarhat 1971

The underlined numbers have been collected by Pentti Alanko during 1971. Herbarium specimens are deposited in the following herbaria: Institute of Horticulture, University of Helsinki and in the herbarium of Arnold Arboretum, Boston. Some uncertain determinations and plants which have not been refound and are probably extinct, have been marked with question marks.

The abbreviations I-XII refers to places in the Arboretum according to Tigerstedt - Forslund 1958 and I-60 in Tigerstedt 1960. (See the map). Plants growing in the nursery (mentioned in the nursery catalogue), are marked with 't'. With '+' have been marked those origin mentioned in Tigerstedt 1960.

All corrections and additions are welcome.



- Apolis* alba Miller., +23  
 - amabilis Forbes, +35, +40, +57, +59, +60, t  
 - balsamea (L.) Miller, 11, 39, 47, 59, 61, t  
 - balsamea x sibirica, +11  
 - chensiensis Van Tiegham, 54  
 - concolor (Gordon) Hildebr., 3, 47, 54, 55, 60, t  
 - delavayi Franchet var. faxoniana (Redh. & Wils.) A. B. Jacks., 45  
 - holophylla Maxim., 46, 50, 61  
 - nomoepis Sieb. & Zucc., 44  
 - koreana E.H.Wils., +42, +44  
 - lasiocarpa (Hooker) Nuttall, +6, 39, 61, 58, 60  
 - lasiocarpa var. arizonica (Merriam) Lemmon, 58  
 - mariesii Mast., 61 v., Maxim., 45  
 - nephrolepis (Trautv.) Maxim., +11, 41, t  
 - nordmanniana (Steven) Spach, +11, +40  
 - recurvata Mast., 43?  
 - sachalinensis (Schmidt) Mast., 59, 61  
 - sibirica Ledeb., 49, 55, 57, 58, t  
 - sutchuenensis (Franchet), Redh. & Wils., 43  
 - veitchii Lindley, 57, 59

- ACAVINOPHYLLA* senticosus (Rupr. & Maxim.) Harms., 47, 61  
 - sieboldianum Nak., 50?, 61?

- ACEA* argutum Maxim., 61  
 - barbinerve Maxim., 44, 45, 47  
 - campestre L., ?  
 - cappadocicum Geditsch, 44  
 - cappadocicum "Rubrum", 44  
 - carpiniifolium S. & Z., ?  
 - circinatum Pursh, ?IX  
 - diabolicum Blume ex K. Koch, 45/IX, VI  
 - ginnala L., IV:57, VI:61  
 - ginnala var. semenovii (Regel & Herd.) Pax., I:58  
 - glaucum Torrey, VI:61  
 - japonicum Thunb., 57?  
 - mandschuricum Maxim., IX:45  
 - miyabei Maxim., IX:45  
 - mono Maxim., 47, V, VIII:44  
 - negundo L., I:58, IV:57, V:56  
 - negundo var. californicum (Torr. & Gray) Sarag., 257  
 - palmatum Thunb., II?  
 - pennsylvanicum L., IX:45  
 - platanoides L., +56 - Fassens Black, t  
 - platanoides f. schwedleri Hartw. & Rümpl., I:58  
 - pseudoplatanus L., IV:57, IX:45, II  
 - pseudo-sieboldianum (Pax) Komarov., ?  
 - ruorum L., IV:57, IX:45, VII:46  
 - saccharinum L., IV:57  
 - saccharinum longifolium (cuneatum), IV:57  
 - saccharophorum K. Koch (saccharum), IV:57  
 - sieboldianum Miquel, V:50, IV:57  
 - spicatum Lamarck, IV:57, V:47  
 - tataricum L., IV:57  
 - tegmentosum Maxim., ?  
 - trautvetteri Medwed., ?  
 - triflorum Komarov., IX:45  
 - tschonoskii Maxim., II  
 - x zoeschense Pax (campestre x lobelii), VIII

- ACONITUM* napellus L., t, II

- AGRAEA* alba (L.) Mill., V:50

- subsp. L., II

*ACTINIDIA arguta* (Siebold & Zuccadini) Planch. ex Miquel, II  
 - *kolomikta* (Maxim. & Rupr.) Maxim., II, 45, t

*ADENOSTROBOS glabra* (Mill.) DC., V:48

*ADMONITUM pedatum* L., VI:51

*AESCHOLUS x carnea* Hayne (*hippocastanum x pavia*), II  
 - *hippocastanum* L., IX:45, (tut.)  
 - *octandra* Marsh., I:58

*AGAVE reptans* L., VI

- *reptans 'Atropurpurea'*, t

*ALNUS incana* (L.) Moench, luonnonvarainen

- *incana 'Laciniata'*, V:47, IX:45, t  
 - *incana 'lobata'*, V  
 - *viridis* (Chaix) DC., 60

*AMMELANCHIER asiatica* (S. & Z.) Endl., VI

- *canadensis* (L.) Med. (*botryapium*), V, I:58  
*laevis* Wieg., II, IX:45,  
 - *utanensis* Koehne (*prunifolia* Greene, *Rubescens* Greene), V

*AMORpha fruticosa* L., XII

*ANDROMEDA glaucophylla* Link. var. *latifolia* (Ait.) Rehd., 60

*ANGELICA hepatica* L. *florae-plena*

- *pulsatilla* L., t  
 - *silvestris* L., I, V:30  
 - *transsilvanica* (Fuss) Heuff., V:48

*AROCIUM androsaemifolium* L., VI:61

*AQUILEGIA chrysanthia* A. Gray, t

- *glandulosa* Fisch. ex Link, t  
 - *hybr.* 'Mc Kana Riesen', t  
 - *hybr.* 'Crimson Star', t  
 - *vulgaris* L., t

*ARACADIS caucasica* Willd., VI, t

*ARALIA elata* Seem., I:58, V:50, IX:45

- *racemosa* L., VI:52

*ARISTOLOCHIA durior* Hili., II, IV:57

*AKONIA arbutifolia* (L.) Pers., IX:45

- *melanocarpa* (Michx.) Ell., II, t

*ASARUM europaeum* L., V:48

*ASPARAGUS officinalis* L., II

*ASTILBE alpinus* L., II, t

- *amellus* L., t  
 - *tongolensis* Franch. 'Wartburgstern', t

*ASTILBE x arendssii* Arends, V:50

- - 'Amethyst', T  
 - - 'Bremen', t  
 - - 'Fanal', t  
 - - 'Gladstone', t  
 - *simplicifolia* Bak. 'Alba', t

*ATHYSIA calamagrostis* Guss., t

- BERBERIS thunbergii DC., IV:57, t  
 - thunbergii 'Atropurpurea', I:58, t  
 - thunbergii 'Atropurpurea nana', t  
 - thunbergii 'Atropurpurea superba', t  
 - vulgaris L., I:58, IV:57  
 - vulgaris L. 'Atropurpurea',

BERGENIA cordifolia (Haw.) Sternb., t

- BETULA alleghaniensis Brit. ('lutea'), V:56

- ermanii Cham., II, V, XI
- maximowicziana Regel, ?
- nigra L., ?
- occidentalis Hook., XIII
- papyrifera Marsh., I:58, II
- papyrifera var. humilis (Regel) Fern. (papyrifera neoalaskana), 15, 57, I, III, X
- populifolia Marsh., ?
- verrucosa Ehrh., luonnonvar., t
- verrucosa 'Bircaleensis', V:47
- verrucosa 'Dalecarlica' (laciniata), 15, II, X, t

BUXIA alba L., II

BUXUS sempervirens L., VI

CACALIA hastata L., IV:57, t., V:48

CALLUNA vulgaris (L.) Hudson., T

CALTHA palustris L. 'flore-pleno'

- palustris, t., II
- Carpatica Jacq., t., V:50
- latifolia L., III:54
- persicifolia L. 'Big Ben', t
- - 'Alba', t

CARAGANA arborescens Lam., t.

- - 'Lorbergii', t., IX:45
- - 'Pendula', IX:45
- frutex (L.) K. Koch, IX:45, t
- pygmaea (L.) DC., IX:45, t jubata (Pall.) Poir., t

CARPINUS betulus L., +IX:45,

- CARYA cordiformis (Wangenh.) K. Koch, ?  
 - ovata (Mill.) K. Koch, IX:45  
 - tomentosa (Poir.) Nutt., IX:45

CATALPA bungei C. A. Mey., V:50

- ovata G. Don, ?

CELASTRUS orbiculata Thunb., T., VI:61

CENTAUREA montana L.,

CEPHALOTAXUS harringtonia (Knight ex Forb.) K. Koch var. drupacea (S. Z.) Koidz., V:50

CHENOPODIUM arvense L., IX:45

- columnae Ten., t
- tomentosum L.,

CERCIDIPHYLLUM japonicum Siebold et Zuccarini ex Miquel, IX:45, VIII:44, II:58

CHAENOPHLEBIA japonica (Thunb.) Lindl. ex Spach, II, t

*CHARACOPTERIS lawsoniana* (A. Murray) Parl., 35

- - 'Alutati', t
- *nootkantensis* (D. Don) Spach, VI, +35, +59
- *pisifera* (Siebold & Zuccarini) Endl., 44
- - 'Nana', t

*CHRYSANTHEMUM coccineum* Willd., tII

- - 'Robinson', t II
- *lacustre* Brot. 'Polaris', t
- - 'White Star', t
- *leucanthemum* L., t

*CIRICIFLORA racemosa* (L.) Nutt.,

- *simplex* (Worsk. ex DC.) Ledeb.,

*CLADOKASIA lutea* (Michx.f.) K. Koch, IV:57, IX:45, VI

*CLAYTONIA sibirica* L., VI:52

- CLEMATIS alpina* (L.) Mill., t
- x *jackmanii* T. Moore 'Superba', t
  - - *tangutica* (Maxim.) Koshinsky, t
  - - *viticella* L., II,
  - - - 'Ville de Lyon', t

*CLINTONIA borealis* (Ait.) Raf., V:48

- CORNUS alba* L., t
- 'Argenteoarginata', t, I:58
  - - 'Gouchaultii', t, I:58
  - - 'Kesselringii', t, I:58
  - - 'Sibirica', t, I:58
  - *canadensis* L., VI:52
  - *stolonifera* Michx. 'Flaviramea', VI:61, I:58

*CORYDALIS nobilis* (L.) Pers., t

- *semperflorens* (L.) Pers., II
- *solida* (L.) Clairv.,

*CORYLUS avellana* L., t, 56, 57

*COTONEASTER acutifolius* Turcz., I:58

- *adpressus* Bois, t
- *dammeri* Schneid., t
- - var. *radicans* Dammer, III:54
- - 'Skogsholmen', V:50
- *divaricatus* Rehd. & Wils.,
- *integerrimus* Medik., t, IX:45
- *lucidus* Schlecht., t, IV:57
- *tomentosus* (Ait.) Lindl., I:58,

*CRAATOEGUS altaica* (Loud.) Lge, XII

- 'coccinea', t
- *douglasii* Lindl., t, 32, 56, 58, III
- *intricata* Lge, V:56, 57
- *monogyna* Jacq., 58, I, III
- *oxyacantha* L. Paul's Scarlet', t
- *sanguinea* Pall., I:58

*CIMBALARIA muralis* G., M. & Sch., VI

*CITRUS austriacus* L., IX:45

- *decumbens* (Durante) Spach, IX:45, t
- *elongatus* Waldst. & Kit., t, IX:45
- *hirsutus* L., IX:45
- *nigricans* L., XII

CITRUS purgans (L.) Spach, V:50  
 - purpureus Scop., t, XII

DAPHNE mezereum L., t.

DEERHORNIA x cultorum Voss, 'Blue Bird', t  
 - - 'Galathæd', t  
 - - 'King Arthur', t

DEUTZIA compacta Craib.,  
 - gracilis S. & Z., XII  
 - x magnifica (Lemoine) Rehd. (scabra x villosinae), XII, t

DIANTHUS barbatus L., t  
 - deltoides L. 'Brilliant', t  
 - gratianopolitanus Vill. (caesius), t II  
 - plumarius L. 'Ballade', t

DICENTRA eximia (Ker-Gawl.) Torr., 'Alba', V:50  
 - formosa (Andr.) Walp., t  
 - spectabilis (L.) Lem., t

DICENTRA albus L., t, II  
 - - 'Albiflorus', t, II

DIERVILLA sessilifolia Buckl., IV:57

DIGITALIS purpurea L., V:50  
 - - 'Excelsior', t

DIPHYLLA cynosa Michx., VI:51 ?

DONONIUM caucasicum A.B., t

DRABA sibirica (Pall.) Thell., t  
 - sp., II

ECHINOPS ritro L., V:50

ELAEAGNUS commutata Bernh. ex Rydb. (argentea), IX:45, t

PIMÉDIUM alpinum L., VI:52  
 - rubrum C. Morr. (alpinum x grandiflorum), VI:52, t  
 - sp. (with round leaves), VI:52  
 - sp. (with big leaves), VI:52

EREMURUS robustus Regel, II

ERICA carneae L., t

ERIGERON aurantiacus Regel, T II  
 - speciosus (Lindl.) DC. var. macranthus (Nutt.) Cronq., t

ERYNGIUM alpinum L., II  
 - planum L., t

ZUONYMUS alatus (Thunb.) Sieb., II  
 - europaeus L., 4, IX:45, 46  
 - - 'Macrocarpus', II:58, t  
 - fortunei (Turcz.) Hand.-Mazz. var. vegetus (Rehd.) Rehd., V:50  
 - hamiltonianus Wall. var. yedoensis (Koehne) Blakel., VI:61, IX:45, t  
 - sachalinensis (Fr. Schmidt) Maxim., II, VI:61, t (planipes)

EUPHORBI cyprissias L., IV:53  
 - polychroma Kern., II, t  
 - sp., II

*EXOCORDA giraldis* Bessé, V:50

- *racemosa* (Lindl.) Rehd., II

*FAGOS silvatica* L., IX:45

- - 'Atropurpurea', IX:45, VI:61

- *grandifolia* Ehrh., IX:45

*FILIPENDULA kamtschatica* (Pall.) Maxim. 'Gigantea', VI:51, Y

- *occidentalis*, VI:51, det. Leena Hämet-Ahti

- *rubra* (Hill) Robins. 'Venusta', II

- *aimaria* (L.) Maxim., luononvar.

*FORSYLIA europaea* Deg. et Bald., V:50

- *koreana*, t

- *ovata* Nakai, V:50, IX:45, t

*GOMERIA monticola* Ashe, V:50

*FRAGARIA moschata* Duch., VI

*MAGNUS americana* L., I:58,

- *excelsior* L., 55, 58, t

- *mandschurica* Rupr., VIII:44

- *nigra* Marsh., X

- *ornus* L., ?

- *pennsylvanica* Marsh., VII:55, t

*FritILLARIA imperialis* L., V:50

*GASTROdia procumbens* L., VI, III:54

*GENTIANA tinctoria* L., IX:45, t

*GENTIPELLETA sagittalis* (L.) Gams., IX:45,

*GENTIUM ibericum* Cav., II

- *macrorrhizum* L., V:50

*GETHM coccineum* Sibth. et Sm. 'Borisii', VI, t

*ALNOGRADUS dioicus* (L.) K. Koch, ?

*GIGERINA paniculata* L., t

*HABENARIA japonica* S. & Z., IX:45

- *virginiana* L., IX:45

*HAGUEPIA epipactis* (Scop.) DC., V:48

*HEDERA helix* L., ?, IX:45

*HELIANTHEMUM hoopesii* A. Gray, II, t

- x *hybridum* 'Moerheim Beauty', t

*HELIANTHEMUM alpestre* (Jacq.) DC., t, II

*HELLEBORUS niger* L., III:54

- - 'Buis', t

*HEMEROCALLIS lilio-asphodelus* L. em. Scop., (flava), t

- x *hybrida* 'George Yield', t

- sp., (IV:57)

*Heracleum* sp., V:50

*AEUCHEA sanguinea* Engelm., 4  
 - - 'Splendens',  
 - - 'Pluie de Feue', t

*HIPPOPHAE RHAMNOIDES* L., V:47, -58, t

*HOLODISCUS discolor* (Pursh) Maxim. var. *ariifolius* (Sm.) Aschers. & Graebn., 52, XII

*HOMOGYNA alpina* (L.) Cass., V:48

*HOSTA* albo-marginata (Hook.) Ohwi, t  
 - *lancefolia* (Thunb.) Engl., t  
 - *Seboldiana* (Hook.) Engl., t  
 - sp., II

*HUMULUS lupulus* L., t

- - 'Aureus', II

*HYDRANGEA anomala* D. Don ssp. *peltiolaris* (S. & Z.) McClintock, VI:52, t  
 - *arborescens* L. *Annabella*, V:50  
 - - 'Grandiflora', I:58, t, XII  
 - - ssp. *radiata* (Walt.) McClintock, XII  
 - *aspera* D. Don ssp. *sargentiana* (Rehd.) McClintock, VI:61  
 - *heteromalla* D. Don (*bretschneideri*, b. *wilsonii*, *xanthoneura*), V:50  
 - *paniculata* Sieb. 'Grandiflora', t  
 - - 'Praecox', II, t  
 - - 'Tardida', V:50

*HYPERICUM patulum* Thunb. var. *henryi* Veitch., XII

*IBERIS sempervirens* L. (var. *garrexiana* (All.) Cesati et al.), III, VI

*ILLEX crenata* Thunb. 'Convexa', V:50

*IMPERIUM roylei* Walp. (*glandulifera* Royle), VI:52

*INCARVILLEA compacta* Maxim., t II

*INULA* sp., V:50

*IRIS germanica* L. 'Romance', t  
 - *graminea* L., IV:57  
 - x *intermedia* Sarg. 'Halfdan', t  
 - *sibirica* L., t

*JUGLANS cinerea* L., IX:45, 46, 57, II, t  
 - *cordiformis* Maxim., IX:45  
 - - var. *aliantifolia* (Carr.) Rehd. (*sieboldiana*), IX:45, VI:61  
 - *mandschurica* Maxim., IX:45, V:47, IV:57, VII, t  
 - *regia* L., IX:45

*JUNIPERUS communis* L., luonnonvar.

- - 'Suecica major', t  
 - *horizontalis* Moench, V:50  
 - *procumbens* (Endl.) Miquel, V:50  
 - *sabina* L., t  
 - *scopulorum* Sarg., V:50  
 - *squamata* Buch.-Ham. ex Lamb., t  
 - *virginiana* L., 35, t  
 - sp. 'benuor I', 35

*KALMIA angustifolia* L., 60

- - *Rubra*, 60

- *latifolia* L., VI:52

- - *Rubra*,

- *microphylla* (Hook.) Heller, (*glaucia*), 60 ?

*KALOPanax pictus* (Thunb.) Nakai, VI:61 ?

*KIRENGESHOMA palmata* Yatabe, V:50

*KULWITZIA amabilis* Graebn., t

*LADUNUM alpinum* (Mill.) Bercht. et Presl, IX:45, t

*LAMIUM galeobdolon* (L.) L. var. *legatum* ('*Florentinum*'), V:48

*LARIX decidua* Mill., 4, 10, 16, 17, 56, 41

- - ssp. *polonica* (Racib.) Domin, XII, +41

- *europaea* (L.) C. A. Mey. var. *japonica* (L.) C. A. Mey. var. *japonica*, 19, +28

- *x eurolepis* Mayr (kaempferi x decidua), +4

- *gmelinii* (Rupr.) Kuzeneva var. *gmelinii*, IV:57 (dahurica)

- - var. *japonica* (Regel) Pilg., +13, +20, +20, +28, +73, t (kurilensis)

- - var. *olgensis* (Henry) Ostenf. & Syrach Larsen, 41

- - var. *principis-rupprechtii* (Mayr) Pilg., 41

- *kaempferi* (Lambert) Carr. (*leptolepis*), +47, t

- *laricina* (Duroi) K. Koch, 18

- *x marschlinsii* Coaz (*kaempferi* x *russica*), ±4, t

- *occidentalis* Nutt., 41, 42

- *russica* (Endl.) Sabine ex Trautv. (*sibirica*), +1, 4, 12, +15, +18, +56

*LEIDUM palustre* L., 60

*LEONTOPODIUM alpinum* Cass., II, t

*LEWISIA cotyledon* (Wats.) Robins., t

*LIATRIS spicata* (L.) Willd., t

*LIGULARIA dentata* (A. Gray) Hara (*L. clivorum*), t

- *x hessei* (Hesse) Bergm., t

*LIGUSTRUM tschonoskii* Decne, XII

- *vulgare* L., t

*LILIUM bulbiferum* L., t

- *x hollandicum* Bergm. 'Orange King', t (umbellatum)

- *x imperiale* Wils. 'George C. Creelman' (*regale* x *sargentiae*), t

- *x marhan* Hoog, t

- *martagon* L., IX:45

- *regale* Wils., t

- *tigrinum* Ker-Gawl., t

*LONICERA alpigena* L., IV:57

- *x americana* (Mill.) K. Koch, t (*caprifolium* x *etrusa*)

- *x amoena* Zabel (*korolkowii* x *tatarica*), ?

- *x brownii* Carr. (*hirsuta* x *sempervirens*), IX:45 ?

- *caprifolium* L. II, t, IX:45

- *coerulea* L. var. *pallasii* (Ldb.) K. Browicz, IV:57

- *hispida* Dougl., t

- *involucrata* (Richards) Banks, II, t, I:58, VI:53

- *maackii* (Rupr.) Maxim., IV:57

- *morrowii* Gray, t, XII

- *nigra* L., 47

- *oblongifolia* (Goldie) Hook., ?

- *periclymenum* L., t

*LONICERA spinosa* Jacq. var. *alberti* (Regel) Rehd., t, 47  
 - *tatarica* L., t, VI:54  
 - - 'Alba'  
 - - 'Sibirica', ?  
 - - 'Zabelii', t  
 - *xylosteum* L.

*LUPINUS polyphyllus* Lindl., IX:45, t  
 - - 'Russel hybr.', t

*LYCAVIS chalcedonica* L., VI, t

*LYSICHITON AMERICANUS* Muhlen et St. John, 55, 7 (kelt.) \*

*LYSIMACHIA nummularia* L., IX:45  
 - *punctata* Hook.,

*LYTHRUM virgatum* L. 'Robert', t

*MACKIA amurensis* Rupr. et Maxim., IV:57, VIII:44

*MAGNOLIA acuminata* (L.) L., IX:45,

- *kobus* DC. xxx, II, IX  
 - - var. *borealis* Sarg., V:50 ?  
 - *obovata* Thunb., V:50, IX  
 - *sieboldii* K. Koch, IX:45, VIII:44, IV:57

*MAHONIA aquifolium* (Pursh) Nutt., t

*MALUS* x *adstringens* Zabel ('baccata x pumila') 'Hopa', t  
 - *x arnoldiana* (Rehd.) Sarg. ('baccata x floribunda'), XII  
 - *baccata* (L.) Borkh., t, 57 I, III  
 - *prunifolia* (Willd.) Borkh. 'Pendula', 47  
 - *pupurea* (Barbier) Rehd. 'Eleyi' t, XII  
 - - 'Lemoinei', XII  
 - *sargentii* Rehd., t  
 - *sieboldii* (Regel) Rehd., t, I:58  
 - sp. 'Royalty',

*MALVA moschata* L., V:50, t

*MATTEUCCIA struthiopteris* (L.) Todaro, VI:52, t

*MENISPERMUM canadense* L., IV:57  
 - *dauricum* DC., V:50

*MERCURIALIS pereanis* L., VI:52

*MERTENSIA virginica* (L.) Pers., V:50

*MEUM athamanticum* Jaqq., V:50

*MITELLA* sp., 60

*MONARDA didyma* L. 'Cambridge Scarlet', t

*MORUS alba* L., IX:45  
 - *rubra* L., IX:45

*MYOSOTIS silvatica* (Ehrh.) Hoffm., VI:53

*NELLIA sinensis* Oliv., IX:45

*NEPETA mussinii* Spreng., t

- JENOTHECA tetragona Roth var. *fraseri* (Pursh) Munz, t, II  
 - - - - - Pursh, t  
 OMPHALODES verna Moench, III  
 - - 'Alba', III  
 ONOCLEA sensibilis L., III:54  
 - - - - - Stroy, t  
 OPOPYANAS horridus (Sm.) Miquel, III:54, VI:52  
 ORNITHOGALUM umbellatum L., II  
 OSMUNDA claytoniana L., VI:52  
 - regalis L., VI:52  
 OSTRIA carpinifolia Scop., IX:45  
 - virginiana (Mill.) K. Koch, V ?  
 OXALIS acetosella L. 'Rosea', V:48  
 PACHYSANDRA terminalis Sieb. & Zucc., VI:53, t  
 PACHISTIMA myrsinoides (Pursh) Raf., VI:52, t  
 PAEONIA lactiflora Pall. 'Felix Crousse', t  
 - - 'Festiva maxima', t, III:52, t  
 - - 'Karl Rosenfeld', tcha., t  
 - - 'Sarah Bernhard', tporaensis  
 - - 'Solange', ttraic., Pritz. var. pumila, t  
 - x lemoinei (Rehd.) (lutea suffruticosa) 'Chromatella', V:50  
 - amlokozewitschii Lomak., V:50  
 - sp., V:50 vlealiger stadt, 449  
 PAPAVER alpinum L., t  
 - nudicaule L., t  
 - orientale L., t  
 PARADISEA liliastrum (L.) Bertol., t  
 PARTHENOCISSUS inserta (Kern.) Fritsch (vitacea var. typica), t, 457  
 - quinquefolia (L.) Planch., 56  
 PELTiphyllum peltatum (Torr.) Engl., VI:51  
 PENSTEMON confertus Dougl., II  
 - sp., II  
 PETASITES hybridus (L.) Ph. Gaertn., B. Mey. et Scherb. (officinalis), t  
 - japonicus (Sieb. & Zucc.) Fr. Schmidt var. giganteus Nich. (giganteus), t  
 PHALLODENDRON amurense Rupr., VIII:44, IX:45, V  
 - japonicum Maxim., VIII:44, V:47  
 PHYLLODOCE caerulea (L.) Babingt., 60  
 PHILADELPHUS coronarius L., t, indorus L. VII  
 - x lemoinei Lemoine (coronarius x microphyllas), 'Giraldii', I:58  
 - lewisii Pursh 'Waterton',  
 - pubescens Loisel. (latifolius), t  
 - x virginialis Rehd. (lemoinei x nivalis 'Plenus'?), t  
 PHLOX amoena Sims, t, II  
 - glaberrima L.,  
 - paniculata L. 'Charles Curtis', t  
 - - 'Frau Anthony Buchner', t  
 - - 'Hindenburgh', t  
 - - 'Jules Sandeau', t, II  
 - - 'Sia Guys', t

*PHILOX paniculata* L. Morgenrood, t

- - 'Mrs. Ethel Prichard', t

- - 'Rijnstroom', t

- - 'Spitfire', t

- - 'Wilhelm Kesselring', t

- stolonifera Sims, t

- subulata L. 'Atrocoerulea', t

- - 'Atropurpurea', t

- - 'Maischnee', t, VI

- - 'Maj', t, VI

- - 'Lilakönigin', t, VI

*PHYSOCARPUS opulifolius* (L.) Maxim., I:58*PICEA abies* (L.) Karst., luonnonvar., t, +24, +25, +27

- - 'Acrocona', V:50

- - 'Echiniformis', t

- asperata Mast., +IX:43, +59

- engelmannii (Parry) Engelm., +5, +47, +25

- - 'Glauca', t, 58

- glauca (Moench) Voss, t, +7, +25

- - var. albertiana (S. Brown) Sarg., +25, +27, +30

- - 'Conica', t

- glehni (F. Schmidt) Mast., 14, +1

- jezoensis (S. &amp; Z.) Carr., +III:54, +44, +55

- var. hondoensis (Mayr) Rehd., +46

- koyamai Shiras., +30 (koraiensis Nakai)

- likiangensis (Franch.) Pritz. var. purpurea (Mast.) Dall. &amp; Jacks., VI:53

- mariana (Mill.) B. S. P., t, 22, +27

- obovata Ledeb., +438, +46

- - var. coerulea Tigerstedt, +49

- onorata (Panic) Purkyne, t, +37, +46, +47

- - 'Nana', V:50

- orientalis (L.) Link, t, +40

- pungens Engelm., V:58 (pubescens)

- - "Glauca", t, 58, (on vain kokonaismimitys sinivihreämuodolle)

- rubens Sarg., +34, +38, +59 (tha bata, +30)

- sitchensis (Borg.) Carr., +59

*PICRIS hieracioides* L., IV:57*PICRIS floribunda* (Pursh ex Sims) Benth. et Hook.f., VI:51, 60*PINUS banksiana* Lamb., 46

- cembra L., t, +4, +47, 56, 58

- var. sibirica (Du Tour) Loud., +4, 9, +55

- contorta Dougl. ex Loud. var. latifolia Wats., +5, +21, +31, +60

- - var. murrayana (Balf.) Engelm., ?

- koraiensis S. &amp; Z., I:58 (kuoliut)

- leucodermis Ant., +61 (kuoliut)

- mugo Turra, 29 (kuoliut)

- - var. pumilio (Haenke) Zenari, t

- - var. rostrata (Antoine) Hoopes, +14, 46

- nigra Arnold ssp. nigra (austriaca), t

- peuce Griseb., t, +V:48, +36, +30, +59

- - (nimeämätön käpiömuoto, syntynyt Mustilassa), II

- silvestris L., luonnonvar.

- - 'Pumita', t

- strobus L., +14

*PLATYCODON grandiflorum* (Jacq.) A. DC., t*PODOPHYLLUM emodi* Wall., VI:51*POLYNAKHIA commutatum* (Schult.f.) A. Dietr., t

- odoratum (Mill.) Druce, VI:61

POLYGONUM alpinum All., t

- bistorta L., t
- cuspidatum Sieb. & Zucc., IV:57, t (sieboldii)
- sachalinense Fr. Schmidt, III:54
- weyrichii F. Schmidt, IV:57,

POLYSTICHUM acrostichoides (Sw.) Schott, I:48,POPULUS alba L. ?

- balsamifera L., t, II, XII:5
- x berolinensis Dipp. (laurifolia x nigra 'Italica'), II, XII
- x generosa Henry (angulata x trichocarpa), XII
- laurifolia Ledeb., II, Illus, VII:11
- x petrowskiana (Regel), Schneid. (deltoides x laurifolia), XII
- x rasymowskiana (Regel) Dipp. S (? laurifolia x nigra), t, III:54, XI, XII
- suaveolens Fischer (Pyramidalis), X
- tremula L., luonnonvar. (icum), III:54
- - Erecta, t, II, X (teret), II, XII
- - x tremuloides Michx., not, X, 68: (tremula x tremuloides)
- trichocarpa Torr. & Gray, t ?, III:54
- wilsonii Schneid., (IV:57) XIII x pontica
- x wobstii (Regel) Dode (laurifolia x tristis?), II, I, (IV:57)

POTENTILLA atrosanguinea Lodd., I:18:

- fruticosa L., t, IX:45 (= Atrosanguinea)
- var. arbuscula D. Don, t, I:58 (I:2)
- - Jackman, t, I:58 (Azalea, 68: Jackman)
- - Manelys, t, I:58 (Azalea x Manelys)
- - Veithii, t, I:58
- intermedia L., IX:45, X:34 (s: Herpestis)
- rupestris L., (IV:57) VI:61 (Azalea, 68: rupestris), III:34, III:54

PRENANTHES purpurea L., VI:51-53PRIMULA auricula hybr.=x pubescens Jacq., t

- denticula Sm., t, II (ciliolata-hybridum)
- elatior (L.) Hill = x polyantha hort. 'Colossea', t

PRUNUS avium L., XII:18: (s: Azalea, 68: (ciliolata-hybridum))

- cerasifera Ehrh., XII
- maackii Rupr., (IV:57), V:56, II, VI (ciliolata-hybridum)
- mahaleb L., ?
- pensylvanica L., V:56
- sargentii Rehd., III (ciliolata-hybridum)
- serotina Ehrh., IX:45, X
- tenella Batsch., t, II
- virginiana L., t, XII

PSEUDOSASA menziesii (Mirb.) Franco f. caesia (Schwe.) Franco, +2, +8, +30, +46, +57

- - var. glaucia (Beissn.) Franco, 3, +9
- - var. menziesii (Rannikkomoto) ?

+3 +58, +61

PTEROCACTUS fraxinifolia (Lam.) Spach, IX:45

- rhoifolia Sieb. & Zucc., VIII:44

PULMONARIA picta Rouy 'Mrs Moon', t (saccharata hort)QUEENCOXUS coccinea Muenchh., ?

- macrocarpa Michx., t, XII
- palustris Muenchh., ?
- robur L., t, +55, 56, 57
- - Fastigiata, XII
- rubra L. (borealis maxima), I:58, 45, 46, 55, 57, 58, VIII

RANUNCULUS acer L., 'Multiplex', II:it

- aconitifolius L., V:48
- amplexicaulis L., II:it, t
- 'macrophyllus', V:48 ?

RHAMNUS frangula L., luonnonvar.

RHEUM palmatum L. var. tanguticum Maxim., III

- 'catawbiense' (catawbiense-Klooni) A. Waterer ennen v. 1865), VI, III:54, t
- 'Benigiri' ('obtusum Benigiri'), V:50
- brachycarpum D. Don (S: Ponticum, SS: caucasicum), ?
- ssp. tigerstedtii Nitzelius, VI:51, 52
- camtschaticum Pall. (S: Camtschaticum), V:50
- canadense Torr. (S: Azalea, SS: Canadense), 60
- 'Caractacus' (catawbiense-Klooni) A. Waterer ennen v. 1865), VI, III:54, t
- catawbiense Michx. (S: Ponticum, SS: Ponticum), VI, III:54, VI:52, t
- 'Grandiflorum' (A. Waterer), VI, III (lila)
- caucasicum Pall. (S: Ponticum, SS: Caucasicum), VI:52
- compactum x williamsianum ?, III:54
- 'Cunningham's White' (caucasicum x ponticum 'Album', Cunningham 1850), III:54, VE52
- curneen ?, V:50
- dauricum L. (S: Dauricum), VI:52, III:54
- degronianum Carr. (S: Ponticum, SS: Caucasicum), VI:52, III:54
- 'Dr. H. C. Dresselhuys' ('Atrosanguineum' x 'Doncaster', den Ouden 1920), VI, III, t
- ferrugineum L. (S: Ferrugineum), VI:52, III:54
- flavum (Hoffm.) G. Don (S: Azalea, SS: Luteum), VI
- x fraseri W. Wats. (canadense x japonicum, Fraser 1912), III:54
- x gandavense Rehd.,
- hirsutum L., VI:52, III:54 (S: Ferrugineum)
- japonicum (Gray) Suring. (S: Azalea, SS: Luteum) as R. 'molle'
- myrtifolium Lodd., III:54, II?, v
- oreodoxa Franch. (S: Fortunei, SS: Oreodoxa), V:50
- 'oreodoxa repens', V:50
- przewalskii Maxim. (S: Lacteum), III:54
- 'Roseum elegans' (Catawbiense-hybriidi, A. Waterer ennen v. 1851, lilarosa), III
- rufum ?, V:50 /:52
- sanguineum Franchet (S: Heliolepis) 'Scarlet'
- schlippenbachii Maxim. (S: Azalea, SS: Schlippenbachii), III:54?
- scintillans Balf.f. & W. W. Sm. (S: Lapponicum), V:50
- scyphocalyx Balf.f. & Forrest (S: Neriiflorum, SS: Sanguineum), III:54
- smirnowii Trautw. (S: Ponticum, SS: Caucasicum), V:50, VI:52
- sphaeropblastum Balf. f. & Forr., V:50
- williamsianum Rehd. & Wils. (S: Thomsonii, SS: Williamsianum), V:50
- 

RIBES radicans L., IX:43 (kuollut?)

- typhina L., II?

RIBES alpinum L., t, luonnonvar.

- aureum Pursh, t
- sp.(x darwinii F. Koch ?), VII:46

ROBINIA neomexicana A. Gray, ?

- pseudoacacia L., IX:45 ?

RUDUBIA aesculifolia Batal., VI:52, t

- Kantschatica, VI:52 ?
- palmata, VI:52 ?
- pinnata Franch. 'Superba', III:54
- podophylla A. Gray, VI:52
- tabularis (Hemsl.) Kom. (Astilboides t. (Hemsl.) Engl.), III:54, VI:52, t

- ROSA canina* L., XII  
 - *gallica* L. 'Splendens', t  
 - *glauca* Pourr. ('rubrifolia'), XIII, t  
 - *foetida* Herrm. 'Persian Yellow' ('lutea 'Persian Yellow'), t  
 - *pimpinellifolia* L. ('spinosissima'), t  
 - - var. *altaica* (Willd.) Thory, XII, t  
 - *rugosa* Thunb., XIII, t  
 - - 'F. J. Grootendorst', t  
 - - 'F. J. Grootendorst pink', t  
 - - 'Hansa', t  
 - - 'Rubra', t

*RUDBECKIA purpurea* L. (*Echinacea p.* (L.) Moench), t

- RUBUS odoratus* L., t  
 - *parviflorus* Nutt., IV:57  
 - *laciniatus* (West.) Willd., II  
 - sp., V:50

*SALIX acutifolia* Willd., I:58

- *alba* L., IV:57  
 - - 'Sericea', II, XIII, t  
 - *caprea* L., luonnonvar., isoja yksilöitä  
 - *daphnoides* Vill., t  
 - *dasyclada* Kimm., I:58  
 - *fragilis* L., I  
 - - 'Bullata', XII  
 - *myrtilloides* L., XII  
 - *purpurea* L., II  
 - *viminalis* L., 'Gigantea', t

*SAMBUCUS canadensis* L. 'Maxima', XII, t

- *ebulus* L., V:56  
 - *nigra* L., I:58, XII  
 - *racemosa* L., t

*SANGUISORBA* sp., IV:57

*SASA* sp., VI:52

- SAXIFRAGA x areddsi*, Engl. 'Triumph', t  
 - *cespitosa* L., VI  
 - *cuneifolia* L., VI  
 - *hostii* Tausch., VI  
 - - var. *altissima* (Kerner) Engl., t  
 - *hypnoides* L., VI  
 - *rotundifolia* L., VI:53  
 - *umbrosa* L., VI

*SCHIZANDRA chinensis* (Turcz.) Baill., VI:52

- SEDOUM acre* L.,  
 - *aizoon* L., VI  
 - *album* L., t  
 - *ewersii* Ledeb., t  
 - *Kamtsaticum* F. & M.,  
 - - var. *ellacombianum* (Praeg. Hyl.), II, t  
 - *lydium* Boiss.,  
 - *reflexum* L., t  
 - *spurium* M. B.,  
 - - 'Album', t  
 - - 'Roseum', t  
 - - 'Splendens', t

*SEMPERVIVUM arachnoideum* L., II

- *x hybridum* hort. 'Alpha' ('Arachnoideum - hybriidi'), t  
 - *soboliferum* Sims., II

SHEPHERDIA canadensis (L.) Nuttall, VI

SINARUNDINARIA nitida (Mitford) Nakai, VI?

SKIMMIA japonica Thunberg var. repens (Nakai) Ohwi, V:48

SILLAGINA racemosa (L.) Desf., V:48

- stellata (L.) Desf., VI:61

SOLDANELLA montana Willd., V:48

SOLIDAGO x hybrida 'Aspera', t

SORBARKIA sorbifolia (L.) A. Br., IV:57

SORBUS aria (L.) Crantz 'Lutescens', XII

- aucuparia L., luonnonvar.

- - 'Pendula', XII

- hybrida (L.) L., XII

- intermedia (Ehrh.) Pers., XII

- pratti Koehne, V:50

- x thuringiaca (Ilse) Fritsch., VIII:44

- tianshanica Rupr., ?

SPIRAEA x arguta Zabel (multiflora x thunbergii), XII, t

- x bumalda Burvenich 'Froebelii' (Froebel 1892), I:58, XII, t

- cauescens D. Don, t

- chamaedryfolia L., t

- x cinerea Zabel (cana x hypericifolia), XII

- henryi Hemsl., XII

- hypericifolia L., I:58, XII

- japonica L.f., XII, I:58

- latifolia (Ait.) Borkh., IV:57

- x margaritae Zabel (japonica x superba), t

- media Schmidt, XII

- nipponica Jaxim., IX:45, XII

- rosthornii Pritz., XII

- salicifolia L., IV:57

- trichocarpa Nakai, I:58

- x vanhouttei (Briot) Zabel (cantonensis x trilobata), XII, t

STAPHYLIA pinnata L., V:50

STATICIA tatarica L. (Limonium t. (L.) Mill.), t

SIMPONIACARPUS albus (L.) Blake var. laevigatus (Fern.) Blake, t

SIMPONIUM x uplandicum Nym. (asperum x officinale), IX:45

SYRINGA amurensis Rupr. var. japonica (Maxim.) Franch. & Sav. (Ligustrina a.), 57, I, t

- josikaea Jaqq.f., II, t

- x prestoniae McKelvey (reflexa x villosa), II

- reflexa Schneid., II, t

- - 'Alba', t

- tigerstedtii H.Sm., V:50

- villosa Vahl, I:58

- vulgaris L., II, t, kaikkialla

- - 'Alba', t

- - Andenken an Ludwig Späth (Späth 1883), t

- - 'Ame', Lemoine (Lemoine 1890), t

- wolfii Schneid., VI:61, I:58

- TAXUS baccata* L.  
 - *brevifolia* Nutt., VI:52  
 - *cuspidata* S. & Z., VI:53, 5  
 - *x media* Rehd. (*baccata* x *cuspidata*), VI:53, +35, t  
 - - 'Thayerae',

*TELLIMA grandiflora* (Pursh) Dougl. ex Lindl., y:48

*THALISTRUM aquilegiifolium* L.,

*THELYPTERIS hexagonoptera* (Michx.) Weath., v:48

*THLASPI alpestre* L., I:58

- THUJA koraiensis* Nakai, +35, +44, +50, t  
 - *koraiensis* x *occidentalis*,  
 - *occidentalis* L., 33, 44, 54, t  
 - - 'Fastigiata', t  
 - - "Globosa compacta", t (on olemassa sekä 'Globosa' etta 'Compacta')  
 - - 'Holmstrup', t  
 - - 'Hoveyi', t  
 - - 'Little Champion', t  
 - *plicata* D. Don, +59, VI  
 - - 'Excelsa', 35, t  
 - *plicata* x *standishii*,  
 - *standishii* (Gord.) Carr., 50

*THUJOPSIS dolabrata* (L.f.) S. & Z., 46, 50, t  
 - var. *hondai* Makino, III:54

*THYMUS hirsutus* MB. var. *doerfleri* Ronn., II  
 - *serpyllum* L., t

*TILLA americana* L., IX:45

- *cordata* Mill., 55, t
- *x euchlora* K. Koch (*cordata*?x *dasystyla*), IV:57, VIII
- *x europaea* L. (*cordata* x *platyphylla*; *intermedia*), t, II
- - 'Pallida', XII
- *manishatica* Rupr. & Maxim., ?
- *platyphylla* Scop., II, XII, t
- - 'Rubra', XII
- *tomentosa* Moench, IX:45

*TRILLIUM grandiflorum* (Michx.) Salisb., VI:53

*TRIPTYCHIUM regelii* Sprague & Takeda, V:50

*TRONCIUS europaeus* L., t

- TSODA canadensis* (L.) Carr., 45  
 - *caroliniana* Engelm., VI:53  
 - *diversifolia* (Maxim.) Mast., VI:53, 44, 46, 50  
 - - "Compacta", VI:53  
 - *heterophylla* (Raf.) Sarg., 38+35, ♀  
 - *mertensiana* (Bong.) Carr., 59 (*pattoniana*)

*TUSSIA latifolia* L., t

- ULMUS americana* L., IX:45, XII  
 - *carpinifolia* Gleditsch. 'Hoersholm', II  
 - *glabra* Huds., +IV:57, III, t  
 - - 'Exoniensis', XII  
 - - 'Pendula', XII  
 - *laevis* Pall., 55  
 - *thomasii* Sarg., XII

*VACCINIUM corymbosum* L., V:50

- - 'Grover', III:54

- - 'Zuckertraube', III:54

*VALDSTEINIA ternata* (Steph.) Fritsch, VI:52

*VALERIA flava* (Bge) A. DC.,

- *japonica* Thunb., V:50.

*VALERIANA alliariifolia* Vahl, V:48

- *montana* L., II

*VANCOUVERIA hexandra* (Hook.) Morr. et Decne., VI:53

*VIBRATRUM nigrum* L., VI:51

*VICEDOCA gentianoides* Vahl, VI

*VIBURNUM carlesii* Hemsl., ?

- *dentatum* L. var. *dentatum* (*canbyi*), II

- *lantana* L., V:50, t

- *lentago* L., ?

- *opusius* L., VI:51, t

- - 'Roseum', t, XII, t

*VINCA minor* L., VI:52

- - 'Bowles' Variety', VI, t

- - "Purpurea", t

*VIOLA biflora* L., V:48

- *cornuta* L. 'B. Billström', II t

- - 'John Wallmark', t II

- - 'Woodgate', t II

- *cucullata* Ait., t

*VITIS amurensis* Rupr., V:50

- *coignetiae* Pull., V:50

- *riparia* Michx., IX:45, VI